Neuroscience Letters, 137 (1992) 275–278
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Albala, N., see Mailleux, P., 69
Anderson, K.D., see Wee, B.E.F., 211
Anderton, B.H., see Lantos, P.L., 221
Angus-Leppan, H., Lambert, G.A., Boers, P., Zagami, A.S. and Olausson, B., Craniovascular nociceptive pathways relay in the upper cervical spinal cord in the cat, 203
Archer, T., see Wahlström, G., 65
Arendt, J., see Owen, J., 181

Balázs, R., Resink, A., Hack, N., Van der Valk, J.B.F., Kumar, K.N. and Michaelis, E., NMDA treatment and K^+-induced depolarization selectively promote the expression of an NMDA-preferring class of the ionotropic glutamate receptors in cerebellar granule neurones, 109
Bardo, M.T., see Crawford, C.A., 265
Barnstable, C.J., see Lipton, S.A., 75
Bartke, A., see Debeljuk, L., 178
Belhage, B., see Hansen, G.H., 14
Bennett, M.R. and Ho, S., Adenosine modulation of potassium currents in preganglionic nerve terminals of avian ciliary ganglia, 41
Bernard, G.C., see Ziylan, Z.Y., 9
Bindman, L.J., see Nowicky, A.V., 270
Bloom, S.R., see Suda, K., 19
Boer, G.J., see Gorter, J.A., 97
Boers, P., see Angus-Leppan, H., 203
Bonaventure, N., see Jardon, B., 189
Bonvento, G., Scatton, B., Claustre, Y. and Rouquier, L., Effect of local injection of 8-OH-DPAT into the dorsal or median raphe nuclei on extracellular levels of serotonin in serotonergic projection areas in the rat brain, 101
Botterblom, M.H.A., see Gorter, J.A., 97
Boulu, R.G., see Lekieffre, D., 78
Bourre, J.-M.E., see Ziylan, Z.Y., 9
Braid, D.J., see Morris, R., 29

Callebert, J., see Lekieffre, D., 78
Chang, H.-Y., see Sei, H., 161
Chavkin, C., see Wimpey, T.L., 137
Christofi, G., see Nowicky, A.V., 270
Claustre, Y., see Bonvento, G., 101
Clifford, D.B., see Izumi, Y., 245
Cook, J.L., Irias-Donaghey, S. and Deininger, P.L., Regulation of rodent myelin proteolipid protein gene expression, 56
Cotsell, B., see Lynn, B., 249
Crawford, C.A., McDougall, S.A., Rowlett, J.K. and Bardo, M.T., Depletion of dopamine binding sites and changes in dopamine and dihydroxyphenylacetic acid levels in 17- and 90-day-old rat striatum after irreversible receptor antagonism, 265

Dalsgaard, C.-J., see Franco-Cereceda, A., 72
De Francesco, E.A., see Mollace, V., 87
Debeljuk, L., Villanúa, M.A. and Bartke, A., Substance P variations in the hypothalamus of golden hamsters at different stages of the estrous cycle, 178
Deininger, P.L., see Cook, J.L., 56
Desaki, J., Matsuda, S., Okumura, N., Koyama, Y. and Sakanaka, M., Fine structure of nerve processes containing basic fibroblast growth factor in muscle spindles of the rat masseter muscle, 237
Diemel, L.T., Stevens, E.J., Willars, G.B. and Tomlinson, D.R., Depletion of substance P and calcitonin gene-related peptide in sciatic nerve of rats with experimental diabetes; effects of insulin and aldose reductase inhibition, 253
Dotti, C.G., see Van Lookeren Campagne, M., 129
Douglas, A.J., see Sumner, B.E.H., 216
Downing, J.E.G. and Kaneko, A., Cat retinal ganglion cells show transient responses to acetylcholine and sustained responses to L-glutamate, 114
Driscoll, P., see Fernández-Teruel, A., 185
Durand, G.A., see Ziylan, Z.Y., 9
Duval, D., Roome, N., Gauffeny, C., Nowicki, J.P. and Scatton, B., SL 82.0715, an NMDA antagonist acting at the polyamine site, does not induce neurotoxic effects on rat cortical neurons, 193

Eimerl, S. and Schramm, M., An endogenous metal appears to regulate NMDA receptor mediated ^{45}Ca influx and toxicity in cultured cerebellar granule cells, 198
Erneux, C., see Mailleux, P., 69
Escorihuela, R.M., see Fernández-Teruel, A., 185

Feenstra, M.G.P., see Gorter, J.A., 97
Fernández-Teruel, A., Escorihuela, R.M., Núñez, J.F., Gomà, M., Driscoll, P. and Tobeña, A., Early stimulation effects on novelty-induced behavior in two psychogenetically-selected rat lines with divergent emotionality profiles, 185
Fink-Jensen, A., Judge, M.E., Hansen, J.B., Jacobsen, P., Turski, L., Olney, J. and Honoré, T., Inhibition of cisplatin-induced emesis in ferrets by the non-NMDA receptor antagonists NBQX and CNQX, 173
Franco-Cereceda, A., Rydh, M. and Dalsgaard, C.-J., Nicotine- and capsaicin-, but not potassium-evoked CGP-release from cultured guinea-pig spinal ganglia is inhibited by Ruthenium red, 72
Franke, C., see Költgen, D., 1
Fukuda, Y., Difference in glossopharyngeal and phrenic inspiratory activities of rats during hypocapnia and hypoxia, 261

Gannon, R.L., see Simpson, J.N., 149
Garthwaite, J., see Southam, E., 241
Garthwaite, J., see Morris, R., 29
Gauffeny, C., see Duval, D., 193
Gauthier, P. and Lammari-Barreault, N., Central respiratory neurons of the adult rat regrow axons preferentially into peripheral nerve autografts implanted within ventral rather than within dorsal parts of the medulla oblongata, 33
Ghatei, M.A., see Suda, K., 19
Gispen, W.H., see Van Lookeren Campagne, M., 129
Gomà, M., see Fernández-Teruel, A., 185
Gorter, J.A., Botterblom, M.H.A., Feenstra, M.G.P. and Boer, G.J., Chronic neonatal NMDA receptor blockade with MK-801 alters monoamine metabolism in the adult rat, 97
Gotoh, F., see Isozumi, K., 45
Gundlach, A.L. and Knobe, K.E., Preprogastrin-releasing peptide messenger ribonucleic acid: neuroanatomical localization in rat brain

by in situ hybridization with synthetic oligodeoxynucleotide probes., 123
Guru, S.C., see Shetty, K.T., 83

Hack, N., see Balázs, R., 109
Hanger, D., see Lantos, P.L., 221
Hansen, G.H., Belhage, B. and Schousboe, A., First direct electron microscopic visualization of a tight spatial coupling between $GABA_A$-receptors and voltage-sensitive calcium channels, 14
Hansen, J.B., see Fink-Jensen, A., 173
Hardy, J., see Mann, D.M.A., 225
Harmar, A.J., see Smith, G.D., 257
Hashimoto, K., Kikuchi, H., Ishikawa, M. and Kobayashi, S., Changes in cerebral energy metabolism and calcium levels in relation to delayed neuronal death after ischemia, 165
Hatazawa, J., see Yanai, K., 145
Haydon, P.G., see Man-Son-Hing, H., 133
Helkala, E.-L., see Soininen, H., 5
Ho, S., see Bennett, M.R., 41
Honma, K.-i., see Honma, S., 24
Honma, S. and Honma, K.-i., Locomotor rhythms induced by methylphenidate in suprachiasmatic nuclei-lesioned rats, 24
Honoré, T., see Fink-Jensen, A., 173
Huard, J. and Tremblay, J.P., Localization of dystrophin in the Purkinje cells of normal mice, 105

Ido, T., see Yanai, K., 145
Inaishi, Y., see Sakaguchi, M., 61
Irias-Donaghey, S., see Cook, J.L., 56
Iriuchijima, T., see Michimata, T., 154
Ishikawa, M., see Hashimoto, K., 165
Ishiwata, K., see Yanai, K., 145
Isozumi, K., Gotoh, F., Koto, A., Suzuki, N. and Tsuzuki, Y., Controlled ultraviolet irradiation generates endothelial damage without affecting the nerve terminals of the cerebral artery in cats, 45
Itoh, M., see Yanai, K., 145
Iwata, R., see Yanai, K., 145
Izumi, Y., Clifford, D.B. and Zorumski, C.F., Low concentrations of *N*-methyl-D-aspartate inhibit the induction of long-term potentiation in rat hippocampal slices, 245

Jacobsen, P., see Fink-Jensen, A., 173
Jardon, B. and Bonaventure, N., Plasticity of the frog monocular OKN: involvement of pretectal GABAergic and cholinergic systems, 189
Jiao, S. and Wolff, J.A., Long-term survival of autologous muscle grafts in rat brain, 207
Jones, D., see Mann, D.M.A., 225
Judge, M.E., see Fink-Jensen, A., 173

Kaneko, A., see Downing, J.E.G., 114
Kashihara, Y., see Sakaguchi, M., 61
Kawamura, H., see Miyawaki, T., 37
Kikuchi, H., see Hashimoto, K., 165
Kitamori, S., see Okumura, T., 53
Kitamura, Y., Zhao, X.-H., Ohnuki, T., Takei, M. and Nomura, Y., Age-related changes in transmitter glutamate and NMDA receptor/channels in the brain of senescence-accelerated mouse, 169
Kiuchi, T., see Sei, H., 161
Knobe, K.E., see Gundlach, A.L., 123
Költgen, D. and Franke, C., Acetylcholine activates two types of ion channels in sarcolemma from adult muscular dystrophic (*mdx*) mice, 1
Kobayashi, S., see Hashimoto, K., 165
Koto, A., see Isozumi, K., 45
Kouchis, N.S., see Wee, B.E.F., 211
Koyama, Y., see Desaki, J., 237
Kumar, K.N., see Balázs, R., 109
Kuno, M., see Sakaguchi, M., 61

Lambert, G.A., see Angus-Leppan, H., 203
Lammari-Barreault, N., see Gauthier, P., 33
Lantos, P.L., Luthert, P.J., Hanger, D., Anderton, B.H., Mullan, M. and Rossor, M., Familial Alzheimer's disease with the amyloid precursor protein position 717 mutation and sporadic Alzheimer's disease have the same cytoskeletal pathology, 221
Lärkfors, L., see Wahlst¨öm, G., 65
Lawrence, C.B., see Mercer, J.G., 229
Lefauconnier, J.-M.A., see Ziylan, Z.Y., 9
Leifer, D., see Lipton, S.A., 75
Lekieffre, D., Callebert, J., Plotkine, M. and Boulu, R.G., Concomitant increases in the extracellular concentrations of excitatory and inhibitory amino acids in the rat hippocampus during forebrain ischemia, 78
Lipton, S.A., Leifer, D. and Barnstable, C.J., Selectivity of Thy-1 monoclonal antibodies in enhancing neurite outgrowth, 75
Luthert, P.J., see Lantos, P.L., 221
Lynn, B. and Cotsell, B., Blood flow increases in the skin of the anaesthetized rat that follow antidromic sensory nerve stimulation and strong mechanical stimulation, 249

Mailleux, P., Takazawa, K., Albala, N., Erneux, C. and Vanderhaeghen, J.-J., Comparison of neuronal inositol 1,4,5-trisphosphate 3-kinase and receptor mRNA distributions in the human brain using in situ hybridization histochemistry, 69
Mann, D.M.A., Jones, D., Snowden, J.S., Neary, D. and Hardy, J., Pathological changes in the brain of a patient with familial Alzheimer's disease having a missense mutation at codon 717 in the amyloid precursor protein gene, 225
Man-Son-Hing, H. and Haydon, P.G., Modulation of growth cone calcium current is mediated by a PTX-sensitive G protein, 133
Matsuda, S., see Desaki, J., 237
McDougall, S.A., see Crawford, C.A., 265
McGinty, J.F., see Simpson, J.N., 149
McQueen, D.S., see Smith, G.D., 257
Meguro, K., see Yanai, K., 145
Mercer, J.G. and Lawrence, C.B., Selectivity of cholecystokinin (CCK) receptor antagonists, MK-329 and L-365,260, for axonally-transported CCK binding sites on the rat vagus nerve, 229
Mervaala, E., see Soininen, H., 5
Michaelis, E., see Balázs, R., 109
Michimata, T., Iriuchijima, T. and Mori, M., Okadaic acid inhibits the release of TSH in response to TRH and K^+ from rat anterior pituitaries, 154
Mitsubayashi, H., see Miyawaki, T., 37
Miyawaki, T., Kawamura, H., Mitsubayashi, H., Usui, W. and Yasugi, T., Altered basal firing pattern and postactivation inhibition of locus coeruleus neurons in spontaneously hypertensive rats, 37
Mollace, V., De Francesco, E.A. and Nistico, G., Evidence that pharmacological manipulations of central L-arginine-NO pathway influence blood pressure and heart rate in rats, 87
Mori, M., see Michimata, T., 154
Morita, Y., see Sei, H., 161

Morris, R., Southam, E., Braid, D.J. and Garthwaite, J., Nitric oxide may act as a messenger between dorsal root ganglion neurones and their satellite cells, 29
Morris, R., see Southam, E., 241
Mullan, M., see Lantos, P.L., 221

Namiki, M., see Okumura, T., 53
Neary, D., see Mann, D.M.A., 225
Newton, B.W., A sexually dimorphic population of galanin-like neurons in the rat lumbar spinal cord: functional implications, 119
Nistico, G., see Mollace, V., 87
Nomura, Y., see Kitamura, Y., 169
Nowicki, J.P., see Duval, D., 193
Nowicky, A.V., Christofi, G. and Bindman, L.J., Investigation of β-adrenergic modulation of synaptic transmission and postsynaptic induction of associative LTP in layer V neurones in slices of rat sensorimotor cortex, 270
Núñez, J.F., see Fernández-Teruel, A., 185

Oestreicher, A.B., see Van Lookeren Campagne, M., 129
Ogata, N., see Tatebayashi, H., 49
Ohnuki, T., see Kitamura, Y., 169
Okumura, N., see Desaki, J., 237
Okumura, T., Uehara, A., Kitamori, S., Watanabe, Y., Taniguchi, Y., Tsuji, K. and Namiki, M., Basic fibroblast growth factor (bFGF) acts centrally in the brain to inhibit gastric emptying in rats, 53
Olausson, B., see Angus-Leppan, H., 203
Olney, J., see Fink-Jensen, A., 173
Onoda, N., Odor-induced fos-like immunoreactivity in the rat olfactory bulb, 157
Owen, J. and Arendt, J., Melatonin suppression in human subjects by bright and dim light in Antarctica: time and season-dependent effects, 181

Paljärvi, L., see Soininen, H., 5
Partanen, J., see Soininen, H., 5
Plotkine, M., see Lekieffre, D., 78

Reinikainen, K., see Soininen, H., 5
Reis, D.J., see Sun, M.-K., 232
Resink, A., see Balázs, R., 109
Riekkinen Sr., P., see Soininen, H., 5
Roome, N., see Duval, D., 193
Rossor, M., see Lantos, P.L., 221
Rouquier, L., see Bonvento, G., 101
Rowlett, J.K., see Crawford, C.A., 265
Russell, J.A., see Sumner, B.E.H., 216
Rydh, M., see Franco-Cereceda, A., 72

Sakaguchi, M., Inaishi, Y., Kashihara, Y. and Kuno, M., Degeneration of motor nerve fibers enhances the expression of calcitonin gene-related peptide in rat sensory neurons, 61
Sakanaka, M., see Desaki, J., 237
Scatton, B., see Bonvento, G., 101
Scatton, B., see Duval, D., 193
Schousboe, A., see Hansen, G.H., 14
Schramm, M., see Eimerl, S., 198
Seckl, J.R., see Smith, G.D., 257
Sei, H., Kiuchi, T., Chang, H.-Y. and Morita, Y., Effects of an eight-hour advance of the light–dark cycle on sleep–wake rhythm in the rat, 161
Shetty, K.T., Veeranna and Guru, S.C., Phosphatase activity against neurofilament proteins from bovine spinal cord: effect of aluminium and neuropsychoactive drugs, 83
Simpson, J.N., Gannon, R.L., McGinty, J.F. and Terrian, D.M., Kainic acid depresses the ex vivo release of dynorphin B and glutamate from rat hippocampal mossy fiber synaptosomes, 149
Sloviter, R.S., Possible functional consequences of synaptic reorganization in the dentate gyrus of kainate-treated rats, 91
Smith, D.M., see Suda, K., 19
Smith, G.D., Harmar, A.J., McQueen, D.S. and Seckl, J.R., Increase in substance P and CGRP, but not somatostatin content of innervating dorsal root ganglia in adjuvant monoarthritis in the rat, 257
Snowden, J.S., see Mann, D.M.A., 225
Soininen, H., Reinikainen, K., Partanen, J., Mervaala, E., Paljärvi, L., Helkala, E.-L. and Riekkinen Sr., P., Slowing of the dominant occipital rhythm in electroencephalogram is associated with low concentration of noradrenaline in the thalamus in patients with Alzheimer's disease, 5
Southam, E., Morris, R. and Garthwaite, J., Sources and targets of nitric oxide in rat cerebellum, 241
Southam, E., see Morris, R., 29
Stevens, E.J., see Diemel, L.T., 253
Suda, K., Smith, D.M., Ghatei, M.A. and Bloom, S.R., Investigation of the interaction of VIP binding sites with VIP and PACAP in human brain, 19
Sumner, B.E.H., Douglas, A.J. and Russell, J.A., Pregnancy alters the density of opioid binding sites in the supraoptic nucleus and posterior pituitary gland of rats, 216
Sun, M.-K. and Reis, D.J., Effects of systemic ethanol on medullary vasomotor neurons and baroreflexes, 232
Suzuki, N., see Isozumi, K., 45

Takahashi, T., see Yanai, K., 145
Takazawa, K., see Mailleux, P., 69
Takei, M., see Kitamura, Y., 169
Taniguchi, Y., see Okumura, T., 53
Tatebayashi, H. and Ogata, N., Use-dependent facilitation of L-like Ca^{2+} channels counteracts $GABA_B$-mediated inhibition of N-like Ca^{2+} channels in rat sensory neurons, 49
Terrian, D.M., see Simpson, J.N., 149
Tobeña, A., see Fernández-Teruel, A., 185
Tomlinson, D.R., see Diemel, L.T., 253
Tremblay, J.P., see Huard, J., 105
Tsuji, K., see Okumura, T., 53
Tsuzuki, Y., see Isozumi, K., 45
Turek, F.W., see Wee, B.E.F., 211
Turski, L., see Fink-Jensen, A., 173

Uehara, A., see Okumura, T., 53
Usui, W., see Miyawaki, T., 37

Vanderhaeghen, J.-J., see Mailleux, P., 69
Van der Valk, J.B.F., see Balázs, R., 109
Van Lookeren Campagne, M., Dotti, C.G., Verkleij, A.J., Gispen, W.H. and Oestreicher, A.B., B-50/GAP43 localization on membranes of putative transport vesicles in the cell body, neurites and growth cones of cultured hippocampal neurons, 129
Verkleij, A.J., see Van Lookeren Campagne, M., 129
Villanúa, M.A., see Debeljuk, L., 178

Wahlström, G., Archer, T. and Lärkfors, L., Nerve growth factor (NGF) in rat brain following long-term barbital treatment: relation to convulsions and cognitive function, 65

Watanabe, T., see Yanai, K., 145
Watanabe, Y., see Okumura, T., 53
Wee, B.E.F., Anderson, K.D., Kouchis, N.S. and Turek, F.W., Administration of carbachol into the lateral ventricle and suprachiasmatic nucleus (SCN) produces dose-dependent phase shifts in the circadian rhythm of locomotor activity, 211
Willars, G.B., see Diemel, L.T., 253
Wimpey, T.L. and Chavkin, C., 8-Bromo-cAMP blocks opioid activation of a voltage-gated potassium current in isolated hippocampal neurons, 137
Wolff, J.A., see Jiao, S., 207
Yanai, K., Watanabe, T., Yokoyama, H., Meguro, K., Hatazawa, J., Itoh, M., Iwata, R., Ishiwata, K., Takahashi, T. and Ido, T., Histamine H_1 receptors in human brain visualized in vivo by [^{11}C]doxepin and positron emission tomography, 145
Yasugi, T., see Miyawaki, T., 37
Yokoyama, H., see Yanai, K., 145

Zagami, A.S., see Angus-Leppan, H., 203
Zhao, X.-H., see Kitamura, Y., 169
Ziylan, Z.Y., Bernard, G.C., Lefauconnier, J.-M.A., Durand, G.A. and Bourre, J.-M.E., Effect of dietary n-3 fatty acid deficiency on blood-to-brain transfer of sucrose, α-aminoisobutyric acid and phenylalanine in the rat, 9
Zorumski, C.F., see Izumi, Y., 245

CONTENTS *(continued from the back cover)*

Fine structure of nerve processes containing basic fibroblast growth factor in muscle spindles of the rat masseter muscle
J. Desaki, S. Matsuda, N. Okumura, Y. Koyama and M. Sakanaka (Japan) 240
Sources and targets of nitric oxide in rat cerebellum
E. Southam, R. Morris and J. Garthwaite (UK) 244
Low concentrations of *N*-methyl-D-aspartate inhibit the induction of long-term potentiation in rat hippocampal slices
Y. Izumi, D.B. Clifford and C.F. Zorumski (USA) 248
Blood flow increases in the skin of the anaesthetized rat that follow antidromic sensory nerve stimulation and strong mechanical stimulation
B. Lynn and B. Cotsell (UK) 252
Depletion of substance P and calcitonin gene-related peptide in sciatic nerve of rats with experimental diabetes; effects of insulin and aldose reductase inhibition
L.T. Diemel, E.J. Stevens, G.B. Willars and D.R. Tomlinson (UK) 256
Increase in substance P and CGRP, but not somatostatin content of innervating dorsal root ganglia in adjuvant monoarthritis in the rat
G.D. Smith, A.J. Harmar, D.S. McQueen and J.R. Seckl (UK) 260
Difference in glossopharyngeal and phrenic inspiratory activities of rats during hypocapnia and hypoxia
Y. Fukuda (Japan) 264
Depletion of dopamine binding sites and changes in dopamine and dihydroxyphenylacetic acid levels in 17- and 90-day-old rat striatum after irreversible receptor antagonism
C.A. Crawford, S.A. McDougall, J.K. Rowlett and M.T. Bardo (USA) 269
Investigation of β-adrenergic modulation of synaptic transmission and postsynaptic induction of associative LTP in layer V neurones in slices of rat sensorimotor cortex
A.V. Nowicky, G. Christofi and L.J. Bindman (UK) 274

Author index 275

Erratum 279